Built-in ease built around the way you work.

Xerox® C320 Color Printer and Xerox® C325 Color Multifunction Printer





Meet the Xerox C320 Color Printer and Xerox C325 Color Multifunction Printer

Is ease, reliability and security too much to expect from your printer? What about seamless connectivity and vibrant color? Not if you're a small or medium-sized business with remote employees. You need a hardworking printer that supports productivity instead of getting in the way.

Say hello to the Xerox C320 Color Printer and Xerox C325 Color Multifunction Printer (MFP). With minimal learning curve, these devices have everything small work teams and home offices need.



A NEW STANDARD OF EASE

The Xerox C320 Color Printer and Xerox C325 Color Multifunction Printer come with everything you need and nothing you don't. And with an intuitive user interface (UI) that works just like your favorite tech, every interaction is faster and simpler.

The Xerox® Easy Assist App simplifies installation, monitoring and management of your printer or MFP right from your mobile phone. Xerox® Print Drivers and the Xerox® Print and Scan Experience App provide streamlined scanning, print functionality and printer presets from your laptop or desktop.

For the C325, easy access to the optional Xerox® Workflow Central Platform helps tame document-centric challenges – such as converting physical and digital files into usable formats.

MOBILITY THAT MOVES YOU

Built-in mobile connectivity, Apple AirPrint, Mopria Print Service and Wi-Fi Direct® give you the power to print how you please from all your devices — smartphones, tablets, desktops, laptops or Chromebooks.

COMPACT MEETS QUIET

Get more out of your time and office space. Even the MFP is small enough to fit in tight spaces, and both devices feature a Quiet Mode for ultra-quiet operation and fewer interruptions.

SMARTER SUSTAINABILITY

These devices include more than 30% post-consumer recycled plastic content. They meet globally recognized standards for product environmental performance, including EPEAT and ENERGY STAR®. In addition to easy cartridge recycling through our **Green World Alliance**®2 program, customizable Print From Sleep Mode reduces energy usage.

COMPREHENSIVE SECURITY

End-to-end security features, such as authentication and encryption, protect against rising and increasingly sophisticated cyber threats, keeping your sensitive data and documents safe.

¹ Copy, scan and fax capabilities only available on C325 MFP

² Not all countries support Green World Alliance. Please check local availability.

Capabilities that make hard work easier.

XEROX C325



Single-pass Duplex Automatic Document Feeder (DADF) saves time by simultaneously scanning both sides of two-sided documents on the C325.

An intuitive, tablet-like touch screen. The C325 features a 4.3-inch tiltable UI while the C320 has a 2.8-inch UI.

8.5 x 14 in/98 x 148 mm to 216 x 356 mm.



The 250-Sheet Tray handles media sizes from 3.9 x 5.8 in to

The 1-Sheet Manual Feed Slot handles media sizes from 3 x 5 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm.

XEROX C320



OPTIONAL ACCESSORIES

550+100-Sheet Tray -

Includes 550-sheet standard capacity and additional 100-sheet bypass tray.



Printer Stand -

Provides better device access, mobility and storage space for supplies.



Small and mighty, there's little the Xerox C325 Color MFP can't do.

Do more with Xerox Workflow Central Platform.

- Convert documents to Microsoft Office formats (.docx, .pptx, .xlxs)
- Perform auto redaction on personally identifiable information
- Instantly translate your documents to a language of your choice
- Transform your document to an audio file to listen anywhere
- Convert handwriting or notes into an editable document
- Automatically create a summarized document for quicker reading
- Combine up to 5 different formats into one concise document
- Add document rights management to any file, allowing users to track views, viewers, restrict and track protected documents
- Convert any file to a Text Searchable PDF and/or PDF/A format
- Fax digitally and securely using cloud fax technology



Create your own automated workflows that can monitor input destinations for set conditions, then process files in the background with the chosen workflow.

Ready to find out what your new assistant can do? Learn more and try it for yourself at **xerox.com/WorkflowCentral**.

XEROX PRINT AND SCAN EXPERIENCE APP

Struggling to print and scan from your Windows 10/11 and macOS systems? Streamline repetitive tasks, eliminate tedious processes and put painless scanning and printing at your fingertips, right from your desktop or laptop. Learn more at xerox.com/PrintScanExperience.



XEROX EASY ASSIST APP

Easily and securely manage your device on the go right from your mobile phone, with real-time monitoring of printer performance and instant access to self-support services — all without help from IT. Learn more at xerox.com/EasyAssist.









Speed Up to 59/33 color/8&W ppm Letter/An A0/38 ppm (plock and white) Letter/An 30/28 ppm (color) Letter/An 30/28 pp	DEVICE SPECIFICATIONS	XEROX C320	XEROX C325	
Scan Speed N/A 40/38 ppm (black-and-white) Letter/A 20/378 ppm (color Letter/A 20/378 ppm (colo	Speed ¹			
Duty Cycle* Up to 55,000 pages/month				
Memory/Storage	Duty Cycle ²			
Hi-Speed USB 2.0 (Type A port 1 front, 1 rear), Hi-Speed USB 2 (Type B port 1 rear), Hi-Speed USB 2 (Type B port 1 rear), Hi-Speed USB 2 (Type B port 1 rear), Hi-Speed USB 3 (Type B port 1 rear)	Processor	1 GHz Dual Core	1.2 GHz Quad Core	
Weight and Dimensions (Hx W x D) 318 x 655 x 421 mm (P2 bs 491 x 497 mm (P2 bs 491 x	Memory/Storage	1GB RAM/8GB eMMC	2GB RAM/8GB eMMC	
318 x 455 x 421 mm/21 kg	Connectivity	Hi-Speed USB 2.0 (Type A port 1 front, 1 rear), Hi-Speed USB (Type B port 1 rear), Gigabit Ethernet, Wireless 802.11 b/g/n		
Copy and Print Resolution	Weights and Dimensions (H x W x D)	12.5 x 17.9 x 16.6 in/46 lbs	19.3 x 18.9 x 18.7 in/60 lbs	
First-print out Time		318 x 455 x 421 mm/21 kg	491 x 479 x 475 mm/27 kg	
First-print-out Time As fast as 7.5 seconds color/7.2 seconds 8&W Page Description Languages PostScripte® 3 Emulation, PCLS/6 Emulation, P	Copy and Print Resolution	Print Only: 1200 x 1200 dpi, 4800 Color Quality	Copy: 600 x 600 dpi Print: 1200 x 1200 dpi, 4800 Color Quality	
Page Description Languages PostScripte*3 & Emulation, PCL5/6 Emulation, NPS		N/A	As fast as 7.1 seconds color/6.8 seconds B&W	
Print Features One Touch UI, Print Quality, Normal, Secure, Saved and Sample Set Job Types, Duplex, Orientation, Collation, Print, Job ID in Margins, Draft Mode, N-up, Booklet Layout, Watermark, Tray and Toner Status, Rotate Image 180 Degrees, Saved Settings, Earth Smart Settings Mobile Printing Apple AirPrint, Mapria Print Service, Chromebook, Wi-Fi Direct* N/A Scan Destinations: Email, front-side USB drive, FTP, Network or USB connected computer, Windows Network folder, Scan Formats, PDF (Searchable PDF available via Xerox Print and Scan Experience), TIFF, PEG, BMP, XPS Fax N/A N/A Max 33.6K bps, V.34 Half-Duplex Kbps. MH/MR/MMR/JBIG/JBIG/JBIG Direct Compression Auto-Answer, Auto Federal, Auto-Reduction, Broadcast Send, Junk Fax Filter, Fax Address Book, Fax Forward includes: Fax, Email, FTP, Network Folder, Called Number Security Digitally Signed Firmware Updates, Trusted Platform Module (TPM 2.0), WPA3, TLS 1.3, FIPS 140-2, Certificate Management, Secure Password Reset, TCP Connection Filtering, Part Filtering, Acress Controls, Confidential Pinnt, Non-Volutia Memory Wipe, Fax/Network Separation, Protected USB Ports, Auto-insertion of Sender's Emil Address, Logia Restrictions, Audit Logy, Nos/Jool Mindows* 11, Windows* 12, Windows* 11, Windows*	First-print-out Time	As fast as 7.6 seconds color/7.1 seconds B&W	As fast as 7.5 seconds color/7.2 seconds B&W	
Duff Model, N-up, Booklet Loyout, Watermark, Tray and Toner Status, Rotate Image 180 Degrees, Saved Settings, Earth Smart Settings	Page Description Languages	PostScript® 3 Emulation, PCL5/6 Emulation, XPS		
Apple AirPrint, Mopria Print Service, Chromebook, Wi-Fi Direct® Scan N/A Scan Destinations: Email, front-side USB drive, FTP, Network or USB connected computer, Windows Network folder. Scan Formats: PDF (Searchable PDF available) via Zerox Print and Scan Experience), TTFF, Fax N/A Max 33.6K bps, V.34 Half-Duplex Kbps. MH/MR/MMR/JBIG/JBIG/JPEG Compression Auto Answer, Auto Redial, Auto Reduction, Broadcast Send, Junk Fax Filter, Fax Address Book, Fax Forward Includes: Fax, Email, FTP. Network Folder, Called Number	Print Features			
Scan Destinations: Email, front-side USB drive, FTP, Network or USB connected computer, Windows Network folder. Scan Formats: PDF (Searchable PDF available via Xerox Pinit and Scan Experience), TIFF, JPEG, BMP, XPS N/A N/A N/A N/A N/A N/A N/A N/			, Rotate Image 180 Degrees, Saved Settings, Earth Smart Settings	
Connected computer, Windows Network folder. Scan Formats. PDF (Searchable PDF available via Xerox Print and Scan Experience), TIFF, PEG, BMP, XPS	Mobile Printing	Apple AirPrint, Mopria Print Service, Chromebook, Wi-Fi Direct®		
Compression Auto Answer, Auto Redict, Auto Reduction, Broadcast Send, Junk Fax Filter, Fax Address Book, Fax Forward includes: Fax, Email, FTP, Network Folder, Called Number	Scan	N/A	connected computer, Windows Network folder. Scan Formats: PDF (Searchable PDF available via Xerox Print and Scan Experience), TIFF,	
TCP Connection Filtering, Port Filtering, Access Controls, Confidential Print, Non-Volatile Memory Wipe, Fax/Network Separation, Protected USB Ports, Auto-insertion of Sender's Email Address, Login Restrictions, Audit Log, Sysion Windows \$11, Windows Server 2019, Windows Server 2012 R2, Windows Server 2012, Rac 2012 R2, Windows Server 2012, Rac 2012, Rac 2012, Rac 2012, Windows Server 2012, Rac 201	Fax	N/A	Compression Auto Answer, Auto Redial, Auto Reduction, Broadcast Send, Junk Fax Filter, Fax Address Book, Fax Forward includes:	
macOS 12.x, macOS 11.x. Microsoft Universal Print with Print Support Application. For the latest information about supported Operating Systems, please visit our Drivers & Downloads page and specify your device at support.xerox.com N/A Do more with Xerox Workflow Central Platform MEDIA HANDLING Main Tray Up to 250 sheets of 20 lb bond/75 gsm; Custom sizes: 3.9 x 5.8 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm 1 sheet of 20 lb bond/75 gsm; Custom sizes: 3 x 5 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm 550+100-Sheet 100 Sheet Tray 10p to 550 sheets of 20 lb bond/75 gsm; Custom sizes: 3 x 5 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm Up to 100 sheets of 20 lb bond/75 gsm; Custom sizes: 3 x 8 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm Up to 100 sheets of 20 lb bond/75 gsm; Custom sizes: 3 x 8 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm Up to 550 sheets of 20 lb bond/75 gsm; Custom sizes: 5 x 8 x 8.3 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm Up to 170 sheets of 20 lb bond/75 gsm; Custom sizes: 5 x 8 x 8.3 in to 8.5 x 14 in/148 x 210 mm to 216 x 356 mm Paper Output Up to 170 sheets of 20 lb bond/75 gsm paper, face down Up to 170 sheets of 20 lb bond/75 gsm, face down Media Types Single-pass Duplex Automatic Document Feeder (DADF) Main Tray Automatic Document Feeder (DADF) Main Tray Manual Feed Slot 550+100-Sheet Tray Device Management N/A Single-pass Duplex Automatic Document Feeder (DADF) Automatic Docu	Security	TCP Connection Filtering, Port Filtering, Access Controls, Confidential Print, Non-Volatile Memory Wipe, Fax/Network Separation, Protected USB Ports,		
MEDIA HANDLING Main Tray Up to 250 sheets of 20 lb bond/75 gsm; Custom sizes: 3.9 x 5.8 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm 1 sheet of 20 lb bond/75 gsm; Custom sizes: 3 x 5 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm 550+100-Sheet 100 Sheet Tray Up to 100 sheets of 20 lb bond/75 gsm; Custom sizes: 3 x 5 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm Tray (optional) 550 Sheet Tray Up to 505 sheets of 20 lb bond/75 gsm; Custom sizes: 3 x 5 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm Up to 550 sheet Tray Up to 505 sheets of 20 lb bond/75 gsm; Custom sizes: 5.8 x 8.3 in to 8.5 x 14 in/748 x 210 mm to 216 x 356 mm Up to 170 sheets of 20 lb bond/75 gsm; paper, face down Media Types Plain Paper, Light Paper, Heavy Paper, Card Stock, Labels (Paper and Vinyl Labels), Envelope, Colored Paper, Letterhead, Preprinted, Bond, Glossy, Rough/Cotton, Recycled N/A Up to 50 sheets of 20 lb bond/75 gsm; Custom sizes: 4.1 x 5.8 in to 8.5 x 14 in/105 x 148 mm to 216 x 356 mm N/A Single-pass Duplex Automatic Document Feeder (DADF) Main Tray Automatic Document Feeder (DADF) Manual Feed Slot Manual Feed Slot 550+100-Sheet Tray Of to 216 gsm 60 to 216 gsm 60 to 216 gsm Foevice Management Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple Bonjour®, Xerox Easy Assist App, Xerox Print and Scan	Print Drivers	macOS 12.x, macOS 11.x. Microsoft Universal Print with Print Support Application. For the latest information about supported Operating		
MEDIA HANDLING Main Tray Up to 250 sheets of 20 lb bond/75 gsm; Custom sizes: 3.9 x 5.8 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm 1 sheet of 20 lb bond/75 gsm; Custom sizes: 3 x 5 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm 550+100-Sheet 100 Sheet Tray Up to 100 sheets of 20 lb bond/75 gsm; Custom sizes: 3 x 5 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm Tray (optional) 550 Sheet Tray Up to 505 sheets of 20 lb bond/75 gsm; Custom sizes: 3 x 5 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm Up to 550 sheet Tray Up to 505 sheets of 20 lb bond/75 gsm; Custom sizes: 5.8 x 8.3 in to 8.5 x 14 in/748 x 210 mm to 216 x 356 mm Up to 170 sheets of 20 lb bond/75 gsm; paper, face down Media Types Plain Paper, Light Paper, Heavy Paper, Card Stock, Labels (Paper and Vinyl Labels), Envelope, Colored Paper, Letterhead, Preprinted, Bond, Glossy, Rough/Cotton, Recycled N/A Up to 50 sheets of 20 lb bond/75 gsm; Custom sizes: 4.1 x 5.8 in to 8.5 x 14 in/105 x 148 mm to 216 x 356 mm N/A Single-pass Duplex Automatic Document Feeder (DADF) Main Tray Automatic Document Feeder (DADF) Manual Feed Slot Manual Feed Slot 550+100-Sheet Tray Of to 216 gsm 60 to 216 gsm 60 to 216 gsm Foevice Management Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple Bonjour®, Xerox Easy Assist App, Xerox Print and Scan	Optional Cloud Services	N/A	Do more with Xerox Workflow Central Platform	
Manual Feed Slot 1 sheet of 20 lb bond/75 gsm; Custom sizes: 3 x 5 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm 550+100-Sheet 100 Sheet Tray (optional) 550 Sheet Tray Up to 100 sheets of 20 lb bond/75 gsm; Custom sizes: 3 x 5 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm Up to 550 Sheet Tray Up to 550 sheets of 20 lb bond/75 gsm; Custom sizes: 5.8 x 8.3 in to 8.5 x 14 in/148 x 210 mm to 216 x 356 mm Up to 170 sheets of 20 lb bond/75 gsm; Custom sizes: 5.8 x 8.3 in to 8.5 x 14 in/148 x 210 mm to 216 x 356 mm Up to 170 sheets of 20 lb bond/75 gsm paper, face down Media Types Plain Paper, Light Paper, Heavy Paper, Card Stock, Labels (Paper and Vinyl Labels), Envelope, Colored Paper, Letterhead, Preprinted, Bond, Glossy, Rough/Cotton, Recycled N/A Up to 50 sheets of 20 lb bond/75 gsm; Custom sizes: 4.1 x 5.8 in to 8.5 x 14 in/105 x 148 mm to 216 x 356 mm N/A Single-pass Duplex Automatic Document Feeder (DADF) Main Tray Manual Feed Slot 550+100-Sheet Tray 60 to 216 gsm 60 to 176 gsm Device Management Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple Bonjour®, Xerox Easy Assist App, Xerox Print and Scan	MEDIA HANDLING			
Tray (optional) S50 Sheet Tray Up to 100 Sheets of 20 lb bond/75 gsm; Custom sizes: 3 x 5 in to 8.5 x 14 in/76 x 127 mm to 216 x 356 mm	Main Tray			
Tray (optional) 550 Sheet Tray Paper Output Up to 550 sheets of 20 lb bond/75 gsm; Custom sizes: 5.8 x 8.3 in to 8.5 x 14 in/148 x 210 mm to 216 x 356 mm Paper Output Up to 170 sheets of 20 lb bond/75 gsm paper, face down Up to 200 sheets of 20 lb bond/75 gsm, face down Media Types Plain Paper, Light Paper, Heavy Paper, Card Stock, Labels (Paper and Vinyl Labels), Envelope, Colored Paper, Letterhead, Preprinted, Bond, Glossy, Rough/Cotton, Recycled Single-pass Duplex Automatic Document Feeder (DADF) Media Weights Single-pass Duplex Automatic Document Feeder (DADF) Main Tray Manual Feed Slot 550+100-Sheet Tray Device Management Vip to 50 sheets of 20 lb bond/75 gsm; Custom sizes: 4.1 x 5.8 in to 8.5 x 14 in/105 x 148 mm to 216 x 356 mm N/A 52 to 120 gsm 60 to 216 gsm 60 to 216 gsm 60 to 176 gsm Device Management Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple Bonjour®, Xerox Easy Assist App, Xerox Print and Scan	Manual Feed Slot			
Paper Output Up to 170 sheets of 20 lb bond/75 gsm, face down Media Types Plain Paper, Light Paper, Heavy Paper, Card Stock, Labels (Paper and Vinyl Labels), Envelope, Colored Paper, Letterhead, Preprinted, Bond, Glossy, Rough/Cotton, Recycled Single-pass Duplex Automatic Document Feeder (DADF) Media Weights Single-pass Duplex Automatic Document Feeder (DADF) Main Tray Main Tray Manual Feed Slot 550+100-Sheet Tray Device Management Vp to 170 sheets of 20 lb bond/75 gsm; Custom sizes: 4.1 x 5.8 in to 8.5 x 14 in/105 x 148 mm to 216 x 356 mm N/A 52 to 120 gsm 60 to 216 gsm 60 to 216 gsm 60 to 176 gsm Device Management Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple Bonjour®, Xerox Easy Assist App, Xerox Print and Scan	550+100-Sheet 100 Sheet Tray	Up to 100 sheets of 20 lb bond/75 gsm; Custom sizes: 3 x 5 in to 8.5 x	14 in/76 x 127 mm to 216 x 356 mm	
Media Types Plain Paper, Light Paper, Heavy Paper, Card Stock, Labels (Paper and Vinyl Labels), Envelope, Colored Paper, Letterhead, Preprinted, Bond, Glossy, Rough/Cotton, Recycled N/A Up to 50 sheets of 20 lb bond/75 gsm; Custom sizes: 4.1 x 5.8 in to 8.5 x 14 in/105 x 148 mm to 216 x 356 mm N/A Media Weights Single-pass Duplex Automatic Document Feeder (DADF) Main Tray Manual Feed Slot 550+100-Sheet Tray Device Management N/A So to 120 gsm 60 to 216 gsm 60 to 216 gsm 60 to 176 gsm Device Management Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple Bonjour®, Xerox Easy Assist App, Xerox Print and Scan	Tray (optional) 550 Sheet Tray	Up to 550 sheets of 20 lb bond/75 gsm; Custom sizes: 5.8 x 8.3 in to 8	.5 x 14 in/148 x 210 mm to 216 x 356 mm	
Glossy, Rough/Cotton, Recycled Single-pass Duplex Automatic Document Feeder (DADF) Media Weights Automatic Document Feeder (DADF) Main Tray Manual Feed Slot 550+100-Sheet Tray Device Management Glossy, Rough/Cotton, Recycled N/A Up to 50 sheets of 20 lb bond/75 gsm; Custom sizes: 4.1 x 5.8 in to 8.5 x 14 in/105 x 148 mm to 216 x 356 mm 52 to 120 gsm 60 to 216 gsm 60 to 216 gsm 60 to 176 gsm Device Management Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple Bonjour®, Xerox Easy Assist App, Xerox Print and Scan	Paper Output	Up to 170 sheets of 20 lb bond/75 gsm paper, face down	Up to 200 sheets of 20 lb bond/75 gsm, face down	
Document Feeder (DADF) Media Weights Single-pass Duplex Automatic Document Feeder (DADF) Main Tray Main Tray Manual Feed Slot 550+100-Sheet Tray Device Management Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple Bonjour®, Xerox Easy Assist App, Xerox Print and Scan	Media Types			
Media Weights Single-pass Duplex Automatic Document Feeder (DADF) Main Tray Manul Feed Slot 550+100-Sheet Tray Device Management N/A 52 to 120 gsm 52 to 120 gsm 60 to 216 gsm 60 to 216 gsm 60 to 216 gsm 60 to 176 gsm Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple Bonjour®, Xerox Easy Assist App, Xerox Print and Scan	Single-pass Duplex Automatic	N/A	Up to 50 sheets of 20 lb bond/75 gsm; Custom sizes: 4.1 x 5.8 in to	
Automatic Document Feeder (DADF) Main Tray Manual Feed Slot 550+100-Sheet Tray Device Management Automatic Document Feeder (DADF) 60 to 216 gsm 60 to 216 gsm 60 to 176 gsm Nanual Feed Slot Story Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple Bonjour®, Xerox Easy Assist App, Xerox Print and Scan	Document Feeder (DADF)		8.5 x 14 in/105 x 148 mm to 216 x 356 mm	
Manual Feed Slot 550+100-Sheet Tray 60 to 216 gsm 60 to 176 gsm Device Management Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple Bonjour®, Xerox Easy Assist App, Xerox Print and Scan	Automatic Document	N/A	52 to 120 gsm	
Manual Feed Slot 550+100-Sheet Tray 60 to 216 gsm 60 to 176 gsm Device Management Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple Bonjour®, Xerox Easy Assist App, Xerox Print and Scan	Main Tray	60 to 216 gsm		
550+100-Sheet Tray 60 to 176 gsm Device Management Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple Bonjour®, Xerox Easy Assist App, Xerox Print and Scan	,			
Device Management Xerox® Embedded Web Server, Xerox® CentreWare® Web, Email Alerts, Apple Bonjour®, Xerox Easy Assist App, Xerox Print and Scan				
			s, Apple Bonjour®, Xerox Easy Assist App, Xerox Print and Scan	
	The state of the s			

Declared print speed in accordance with ISO/IEC 24734. 2 Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

WHAT COMES IN THE BOX

- Xerox C320/C325 Product
- Pre-installed Starter Capacity CMY Print Cartridges: 1,000 print capacity⁴; Black cartridge: 1,500 print capacity⁴
- Software and Documentation CD (with User Manual, Quick Install Guide, Safety, Regulatory, Recycling and Print Drivers, and Warranty Statement)
- Installation Guide Product Safety Sheet
- Quick Use Guide
- Power Cord

CERTIFICATIONS

To view the latest list of certifications, go to **xerox.com/OfficeCertifications**.

WARRANTY

1-year warranty (Geography Dependent)

SUPPLIES AND OPTIONS

Toner:

Standard-Capacity Toner Cartridges

Genuine Xerox Black: 2,200 pages³ 006R04823

Genuine Xerox Cyan: 1,800 pages³ 006R04820

Genuine Xerox Magenta: 1,800 pages³ 006R04821

Genuine Xerox Yellow: 1,800 pages³ 006R04822

 Waste Toner Bottle: 30,000 pages
 008R13325

 Options:
 550+100-Sheet Tray
 097N02468

 Printer Stand
 097S05244

High-Capacity Toner Cartridges

Supplies:

Genuine Xerox Black: 8,000 pages³

Genuine Xerox Cyan: 5,500 pages³

Genuine Xerox Yellow: 5,500 pages3

Genuine Xerox Magenta: 5,500 pages³

Imaging Kit Black Only: 125,000 pages4

Imaging Kit Black and Color: 125,000 pages⁴

³ Average standard pages. Declared yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.

Approximate pages. Declared yield will vary depending on job run length and media size/orientation and print mode. For more information, visit office.xerox.com/latest/SUPGL-01.PDF.





006R04831

006R04828

006R04829

006R04830

013R00700

013R00701